

P17 Tempra Pro and Hypra Plugs and Sockets

For safe connection which you can depend on.
Ensures the protection of personnel at electrical installation

**P17 Tempra Pro
plugs and
sockets**



**Hypra prisinter
and Hypra plugs
and sockets**



**P17 Tempra
combined
units**



**Metra
metallic
plugs and
sockets**



**Metallic
plug and
socket DB's**



P17 Tempra Pro IP 44 - LV 16 and 32 A - sockets and plugs

| Cat.Nos | Description | MRP* ₹ / Unit | Pack |
|---------|-------------|------------------|------|
|---------|-------------|------------------|------|

Surface mounting sockets

| | | | |
|---------|----------------------------|-----|----|
| 5551 54 | 200/250 V~, 16 A 2P+E | 602 | 10 |
| 5551 58 | 380/415 V~, 16 A 3P+E | 758 | 10 |
| 5551 59 | 380/415 V~, 16 A 3P+N+E | 758 | 10 |
| 5552 54 | 200/250 V~, 32 A 2P+E | 754 | 5 |
| 5552 58 | 380/415 V~, 32 A 3P+E | 960 | 10 |
| 5552 59 | 380/415 V~, 32 A 3P+N+E | 960 | 10 |

Panel mounting sockets inclined outlet

| | | | |
|---------|----------------------------|-----|----|
| 5551 84 | 200/250 V~, 16 A 2P+E | 360 | 10 |
| 5551 88 | 380/415 V~, 16 A 3P+E | 560 | 10 |
| 5551 89 | 380/415 V~, 16 A 3P+N+E | 558 | 10 |
| 5552 84 | 200/250 V~, 32 A 2P+E | 584 | 10 |
| 5552 88 | 380/415 V~, 32 A 3P+E | 742 | 10 |
| 5552 89 | 380/415 V~, 32 A 3P+N+E | 742 | 10 |

Mobile sockets

| | | | |
|---------|----------------------------|-----|----|
| 5551 04 | 200/250 V~, 16 A 2P+E | 468 | 10 |
| 5551 08 | 380/415 V~, 16 A 3P+E | 552 | 10 |
| 5551 09 | 380/415 V~, 16 A 3P+N+E | 552 | 10 |
| 5552 14 | 200/250 V~, 32 A 2P+E | 626 | 10 |
| 5552 18 | 380/415 V~, 32 A 3P+E | 790 | 10 |
| 5552 19 | 380/415 V~, 32 A 3P+N+E | 788 | 10 |

Straight plugs

| | | | |
|---------|----------------------------|-----|----|
| 5551 24 | 200/250 V~, 16 A 2P+E | 332 | 10 |
| 5551 28 | 380/415 V~, 16 A 3P+E | 430 | 10 |
| 5551 29 | 380/415 V~, 16 A 3P+N+E | 430 | 10 |
| 5552 34 | 200/250 V~, 32 A 2P+E | 520 | 10 |
| 5552 38 | 380/415 V~, 32 A 3P+E | 606 | 10 |
| 5552 39 | 380/415 V~, 32 A 3P+N+E | 606 | 10 |

P17 Tempra - domestic pin configuration 16 A - 250 V~

Flush-mounting boxes

| | | | |
|---------|--|------|---|
| 0577 21 | For 2 panel mounting sockets With single fixing centres 70 x 70 mm - 16 A | 3476 | 3 |
| 0577 22 | For 1 panel mounting socket With single fixing centres 70 x 70 mm - 16 or 32 A (32 A to be fixed horizontally) | 2084 | 3 |

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

P17 Tempra Pro IP 66/67 LV 16 and 32 A

| Cat.Nos | Polarity | MRP* ₹ / Unit | Pack |
|---------|----------|------------------|------|
|---------|----------|------------------|------|

Surface mounting sockets

| | | | |
|---------|----------------------------|------|---|
| 5553 54 | 200/250 V~, 16 A 2P+E | 978 | 5 |
| 5553 58 | 380/415 V~, 16 A 3P+E | 1144 | 5 |
| 5553 59 | 380/415 V~, 16 A 3P+N+E | 1242 | 5 |
| 5554 54 | 200/250 V~, 32 A 2P+E | 1106 | 5 |
| 5554 55 | 200/250 V~, 32 A 3P+E | 2102 | 5 |
| 5554 59 | 380/415 V~, 32 A 3P+N+E | 2280 | 5 |

Panel mounting sockets

| | | | |
|---------|----------------------------|------|---|
| 5553 84 | 200/250 V~, 16 A 2P+E | 714 | 5 |
| 5553 88 | 380/415 V~, 16 A 3P+E | 800 | 5 |
| 5553 89 | 380/415 V~, 16 A 3P+N+E | 800 | 5 |
| 5554 84 | 200/250 V~, 32 A 2P+E | 910 | 5 |
| 5554 88 | 380/415 V~, 32 A 3P+E | 1094 | 5 |
| 5554 89 | 380/415 V~, 32 A 3P+N+E | 1094 | 5 |

Mobile sockets

| | | | |
|---------|----------------------------|------|---|
| 5553 04 | 200/250 V~, 16 A 2P+E | 876 | 5 |
| 5553 08 | 380/415 V~, 16 A 3P+E | 1144 | 5 |
| 5553 09 | 380/415 V~, 16 A 3P+N+E | 1144 | 5 |
| 5554 14 | 200/250 V~, 32 A 2P+E | 1202 | 5 |
| 5554 18 | 380/415 V~, 32 A 3P+E | 1348 | 5 |
| 5554 19 | 380/415 V~, 32 A 3P+N+E | 1352 | 5 |

Straight plugs

| | | | |
|---------|----------------------------|------|---|
| 5553 24 | 200/250 V~, 16 A 2P+E | 762 | 5 |
| 5553 28 | 380/415 V~, 16 A 3P+E | 876 | 5 |
| 5553 29 | 380/415 V~, 16 A 3P+N+E | 880 | 5 |
| 5554 34 | 200/250 V~, 32 A 2P+E | 1082 | 5 |
| 5554 38 | 380/415 V~, 32 A 3P+E | 1138 | 5 |
| 5554 39 | 380/415 V~, 32 A 3P+N+E | 1138 | 5 |

P17 Tempra Pro IP 66/67 LV 32 A for refrigerated containers

Combined unit, plug and mobile socket for refrigerated containers

| | | | |
|---------|--|-------|---|
| 6571 06 | Combined unit with interlocked switched socket - Double mechanical interlock - Cable glands are not supplied | 16072 | 1 |
|---------|--|-------|---|

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.



5552 58



5551 88



5551 08



5551 28



5553 28



0577 22



6571 06

P17 Tempra Pro IP 66/67 LV 32 A for refrigerated containers

| Cat.Nos | Polarity | MRP* ₹ / Unit | Pack |
|---------|----------|------------------|------|
|---------|----------|------------------|------|

Combined unit, plug and mobile socket for refrigerated containers

| | | | |
|---------|--|------|---|
| 5554 91 | Panel mounting socket | 1328 | 5 |
| 5554 21 | Mobile socket with cable grip Ø12 to 21.5 mm | 1610 | 5 |
| 5554 41 | Straight plug With cable grip Ø12 to 21.5 mm | 1294 | 5 |

P17 Tempra Pro IP 66/67 - LV 63 and 125 A

NEW!

Surface mounting sockets

| | | | |
|---------|--------------------------|-------|---|
| 5555 54 | 200/250 V~, 63 A 2P+E | 4248 | 2 |
| 5555 58 | 380/415 V~, 63 A 3P+E | 4228 | 2 |
| 5555 59 | 380/415 V~, 63 A 3P+N+E | 4228 | 2 |
| 5556 58 | 380/415 V~, 125 A 3P+E | 12306 | 2 |
| 5556 59 | 380/415 V~, 125 A 3P+N+E | 12306 | 2 |

Panel mounting sockets

| | | | |
|---------|--------------------------|------|---|
| 5555 84 | 200/250 V~, 63 A 2P+E | 3368 | 2 |
| 5555 88 | 380/415 V~, 63 A 3P+E | 3436 | 2 |
| 5555 89 | 380/415 V~, 63 A 3P+N+E | 3232 | 2 |
| 5556 88 | 380/415 V~, 125 A 3P+E | 9726 | 1 |
| 5556 89 | 380/415 V~, 125 A 3P+N+E | 9628 | 1 |

Straight plugs

| | | | |
|---------|--------------------------|------|---|
| 5555 24 | 200/250 V~, 63 A 2P+E | 2854 | 2 |
| 5555 28 | 380/415 V~, 63 A 3P+E | 2898 | 2 |
| 5555 29 | 380/415 V~, 63 A 3P+N+E | 2996 | 2 |
| 5556 28 | 380/415 V~, 125 A 3P+E | 8628 | 1 |
| 5556 29 | 380/415 V~, 125 A 3P+N+E | 8628 | 1 |

Mobile sockets

| | | | |
|---------|--------------------------|-------|---|
| 5555 04 | 200/250 V~, 63 A 2P+E | 3640 | 2 |
| 5555 08 | 380/415 V~, 63 A 3P+E | 3602 | 2 |
| 5555 09 | 380/415 V~, 63 A 3P+N+E | 3824 | 2 |
| 5556 08 | 380/415 V~, 125 A 3P+E | 12558 | 1 |
| 5556 09 | 380/415 V~, 125 A 3P+N+E | 12558 | 1 |

* MRP - Maximum Retail Price Inclusive of all taxes including GST.
Red Cat.Nos - new products

Plugs and sockets

| Cat.Nos | Polarity | MRP* ₹ / Unit | Pack |
|---------|----------|------------------|------|
|---------|----------|------------------|------|

P17 combined unit to be equipped

Bases with mechanical super-compact sockets

| | | | |
|---------|---|------|---|
| 0573 00 | 16 A, 2P+E IP 44 Interlock | 4248 | 1 |
| 0573 02 | 16 A, 3P+N+E IP 44 Interlock | 4688 | 1 |
| 0573 20 | 16 A, 2P+E IP 55 Interlock | 4768 | 1 |
| 0573 22 | 16 A, 3P+N+E IP 55 Interlock | 5364 | 1 |
| 0577 23 | Mounting plate for 2 super-compact mechanical interlock sockets | 2384 | 1 |

Bases for 125 x 220 mm face plates

| | | | |
|---------|--|------|---|
| 0577 10 | Surface mounting box - upto 2 sockets | 938 | 2 |
| 0589 38 | Surface mounting box with 5 module dinrail - upto 2 sockets | 2646 | 1 |
| 0577 05 | Surface mounting box with 12 module dinrail - upto 4 sockets | 5786 | 1 |
| 0577 06 | Surface mounting box with 18 module dinrail - upto 6 sockets | 8100 | 1 |

Face plates 125 x 220 mm without sockets

| | | | |
|---------|--------------------------------------|------|---|
| 0577 12 | For 1 x 16 A or 32 A - upto A socket | 898 | 5 |
| 0577 13 | For 2 x 16 A - upto sockets | 1184 | 5 |
| 0577 17 | For 1 x 63 A - upto sockets | 1086 | 5 |
| 0577 15 | Blanking Plate | 800 | 5 |

Bases for 125 x 280 mm faceplates

| | | | |
|---------|--|------|---|
| 0577 11 | Surface mounting box - upto 3 sockets | 976 | 3 |
| 0577 20 | Surface mounting box with 5 module dinrail - upto 3 sockets | 2978 | 1 |
| 0577 03 | Surface mounting box with 12 module dinrail - upto 6 sockets | 6000 | 1 |
| 0577 04 | Surface mounting box with 18 module dinrail - upto 9 sockets | 8346 | 1 |

Face plates 125 x 280 mm without sockets

| | | | |
|---------|---|------|---|
| 0577 18 | For 2 x 16 A and / or 32 A sockets | 1408 | 4 |
| 0577 19 | For 1 x 16 A or 32 A socket and 1 x 63 A socket | 1390 | 2 |
| 0577 14 | For 3 x 16 A sockets | 1606 | 4 |
| 0577 16 | Blanking plate | 938 | 4 |

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.



0573 00



0577 10



0577 05



0577 11



0577 04



5555 59



5555 89



5555 29



5555 09

Hypra industrial plugs and sockets

| Cat.Nos | Polarity | MRP* ₹ / Unit | Pack |
|---------|----------|------------------|------|
|---------|----------|------------------|------|

Sockets

Prisinter panel mounting sockets - IP 44, IK 09

| | | | |
|---------|---------------------|-------|------|
| 0520 02 | 230 V, 16 A, 2P+E | 11974 | 1/10 |
| 0527 02 | 230 V, 32 A, 2P+E | 12810 | 1/6 |
| 0529 03 | 415 V, 32 A, 3P+E | 13130 | 1/6 |
| 0529 04 | 415 V, 32 A, 3P+N+E | 15602 | 1/6 |
| 0536 04 | 415 V, 63 A, 3P+N+E | 39994 | 1 |



0529 03



0522 23



0522 83

Panel mounting sockets - inclined IP 44, IK 09

| | | | |
|---------|-------------------|------|------|
| 0522 23 | 415 V, 16 A, 3P+E | 1910 | 5/50 |
| 0538 23 | 415 V, 63 A, 3P+E | 5966 | 1 |

Mobile sockets - IP 44, IK 09

| | | | |
|---------|-------------------|------|------|
| 0522 83 | 415 V, 16 A, 3P+E | 4286 | 5/50 |
|---------|-------------------|------|------|

Plugs

Straight plugs - IP 44, IK 09

| | | | |
|---------|---------------------|-------|------|
| 0520 42 | 250 V, 16 A, 2P+E | 1958 | 5/50 |
| 0527 42 | 250 V, 32 A, 2P+E | 2574 | 1/5 |
| 0522 43 | 415 V, 16 A, 3P+E | 3396 | 5/50 |
| 0529 43 | 415 V, 32 A, 3P+E | 3228 | 5/50 |
| 0529 44 | 415 V, 32 A, 3P+N+E | 3576 | 5/15 |
| 0538 43 | 415 V, 63 A, 3P+E | 8536 | 1/5 |
| 0538 44 | 415 V, 63 A, 3P+N+E | 11470 | 1/5 |



0529 44

Metra plugs and sockets

Plugs

Ivory

| | | | |
|---------|-------------------|-----|---------|
| 6500 22 | 240 V, 10 A, 2P+E | 160 | 1/5/100 |
| 6500 28 | 240 V, 20 A, 2P+E | 170 | 1/5/100 |



6500 28 +
6500 29

Grey

| | | | |
|---------|-------------------|-----|---------|
| 6500 02 | 240 V, 10 A, 2P+E | 160 | 1/5/100 |
| 6500 08 | 240 V, 20 A, 2P+E | 170 | 1/5/100 |
| 6500 10 | 440 V, 20 A, 3P+E | 228 | 1/5/100 |
| 6500 16 | 440 V, 32 A, 3P+E | 426 | 1/5/100 |



6500 02 +
6500 03

Sockets

| | | | |
|---------|-------------------------------------|-----|---------|
| 6500 03 | 240 V, 10 A, 2P+E With blue cap | 164 | 1/5/100 |
| 6500 23 | 240 V, 10 A, 2P+E With ivory cap | 164 | 1/5/100 |
| 6500 09 | 240 V, 20 A, 2P+E With blue cap | 188 | 1/5/100 |
| 6500 29 | 240 V, 20 A, 2P+E With ivory cap | 188 | 1/5/100 |
| 6500 11 | 440 V, 20 A, 3P+E With red cap | 252 | 1/5/100 |
| 6500 17 | 440 V, 32 A, 3P+E With red cap | 426 | 1/5/100 |



6500 10 +
6500 11

Plugs and sockets

| Cat.Nos | Description | MRP* ₹ / Unit | Pack |
|---------|-------------|------------------|------|
|---------|-------------|------------------|------|

P17 tempra combined units

With interlocked switched sockets and surface mounting box IP 44

| | | | |
|---------|---------------------|------|---|
| 0566 01 | 250 V, 16 A, 2P+E | 6378 | 1 |
| 0566 09 | 250 V, 32 A, 2P+E | 7612 | 1 |
| 0566 13 | 415 V, 32 A, 3P+E | 9206 | 1 |
| 0566 14 | 415 V, 32 A, 3P+N+E | 9118 | 1 |



0566 09

With interlocked switched sockets and surface mounting box IP 55

| | | | |
|---------|---------------------|-------|---|
| 0566 21 | 250 V, 16A, 2P+E | 7086 | 1 |
| 0566 29 | 250 V, 32 A, 2P+E | 8098 | 1 |
| 0566 33 | 415 V, 32 A, 3P+E | 10266 | 1 |
| 0566 34 | 415 V, 32 A, 3P+N+E | 9860 | 1 |



0566 34

With interlocked switched sockets and surface mounting box IP 44 with DIN rail for 5 module DX³ protection

| | | | |
|---------|---------------------|------|---|
| 0566 41 | 250 V, 16A, 2P+E | 6422 | 1 |
| 0566 49 | 250 V, 32 A, 2P+E | 7810 | 1 |
| 0566 53 | 415 V, 32 A, 3P+E | 9156 | 1 |
| 0566 54 | 415 V, 32 A, 3P+N+E | 9072 | 1 |



0566 41

With interlocked switched sockets and surface mounting box IP 66 with DIN rail for 5 module DX³ protection

| | | | |
|---------|---------------------|------|---|
| 0566 61 | 250 V, 16 A, 2P+E | 7194 | 1 |
| 0566 69 | 250 V, 32 A, 2P+E | 8348 | 1 |
| 0566 73 | 415 V, 32 A, 3P+E | 9552 | 1 |
| 0566 74 | 415 V, 32 A, 3P+N+E | 9740 | 1 |



0566 74

With interlocked switched sockets and without surface mounting box IP 55

| | | | |
|---------|----------------------------|-------|---|
| 0572 21 | 250 V, 16 A, 2P+E | 6134 | 1 |
| 0572 29 | 250 V, 32 A, 2P+E | 6936 | 1 |
| 0572 33 | 415 V, 32 A, 3P+E | 8236 | 1 |
| 0572 34 | 415 V, 32 A, 3P+N+E | 8996 | 1 |
| 0572 95 | 415 V, 63 A, 3P+N+E, IP 66 | 25276 | 1 |
| 0577 00 | Base box for 0572 95 | 3502 | 1 |



0572 34

P17 tempra combined units

with interlocked switched sockets IP 66

| | | | |
|---------|---|-------|---|
| 0572 98 | 380 to 415 V, 50/60 Hz, 63 A, 3P + E | 20782 | 1 |
| 0589 10 | 380 to 415 V, 50/60 Hz, 63 A, 3P + N + E | 23754 | 1 |
| 0589 18 | 380 to 415 V, 50/60 Hz, 63 A, 3P + E with provision for 5 module DX ³ protection | 27346 | 1 |
| 0572 99 | 380 to 415 V, 50/60 Hz, 63 A, 3P+N+E with provision for 5 module DX ³ protection | 28618 | 1 |



0572 98
0589 10

0589 18
0572 99

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.